New Jersey Water Environment Association 2010 Fall Technology Transfer Seminar

Maintaining Compliance: Keeping up with Testing and Recordkeeping







Presented by: Christopher Gulics, VP of ERCP Matthew Mee, Staff Scientist

Topics

- Underground Storage Tanks
- Gasoline Vapor Recovery Systems
- Emergency Generator Air Permits
- Boiler Air Permits
- Oil Storage & EPA's SPCC Rule
- Online Search & Tools



Regulated UST Systems (tanks and piping) require:


- Registration with NJDEP
- Release Response Plan
- Corrosion Protection
- Overfill Protection
- Spill Protection (all sumps)
- Leak Detection
- Proper Fill Port markings



NJDEP regulated tanks:

- Gasoline, diesel and waste oil
 (Some farms & residential exemptions)
- Non-Residential Heating oil USTs Greater than 2,000 gallons (aggregate)
- Emergency De-Con Tanks
- Hazardous Chemical Storage





- Common Types of Tanks:
 - Bare Steel
 - Cathodically Protected Metal
 - Sacrifical Anodes (SA) or Impressed Current (IP)
 - Fiberglass Coated Steel
 - Tank coating must be at least 100mil thickness to meet standard
 - Fiberglass-Reinforced Plastic (FRP)
 - Internally Lined
 - Industry Names: "STi-P3" and "ACT-100"



NEW JERSEY DEPARTMENT OF ENVIRONMENTAL PROTECTION

DIVISION OF REMEDIATION SUPPORT UST Program • Registration and Billing Unit PO Box 028, Trenton, N.J. 08625-0028 1-609-633-1464 • www.state.nj.us/dep/srp/bust

STATE USE ONLY Check In Yes

UNDERGROUND STORAGE TANK

FACILITY CERTIFICATION QUESTIONNAIRE
FACILITY UST # (PROGRAM INTEREST ID):
Completion of this Registration Questionnaire will satisfy the registration requirements of the Underground Storage of Hazardous Substances Act, N.J.S.A. 58:10A-21 et seq., and the Underground Storage Tank Rules N.J.A.C. 7:14B et. seq.
Check appropriate box A. This is a registration of a proposed or newly installed underground storage tank. (This form must be filed at least 30 days prior to operation) B. This is a registration of an existing underground storage tank not presently registered. C. This is a correction or amendment to an existing facility registration. (Check type of change below) D. There have been no changes to the facility registration since last submittal. (Complete Section A, C & E)
If "C" is checked above, please check the appropriate type of change(s) below Facility Name and/or Address Change Owner Name and/or Address Change Facility Operator and/or Address Change Owner Contact Person Change Owner Contact Person Change Outer Complete Section B Questions 1, 4, 5, 12C) Financial Responsibility Change (Including Policy Renew Sale or Transfer (Complete entire form) Other (please specify)
SECTION A - GENERAL FACILITY INFORMATION
1. Facility Name 2. Facility Location Address Line 1
Address Line 2
City or Municipality
COUNTY STATE ZIP CODE BLOCK LOT 3. Facility Operator
Contact Person PERSON TITLE
PHONE NUMBER (INCLUDE AREA CODE & EXT) E-MAIL ADDRESS
Operator Address
(if different than #2) ADDRESS LINE 1 (NUMBER AND STREET)
ADDRESS LINE 2 (e.g. PO BOX, SUITE) L
4. Tank Owner (Organization)
Contact Person
PERSON
PHONE NUMBER (INCLUDE AREA CODE & EXT) E-MAIL ADDRESS Tank Owner
Address ADDRESS LINE 1 (NUMBER AND STREET)
ADDRESS LINE 2 (e.g. PO BOX, SUITE)
CITY OR MUNICIPALITY STATE ZIP CODE

NJDEP Hotline: Fire Department: 911 Facility Owner / Operator: County Health Department: 908-654-988 Corrective Action/Repair Contractor: Local Emergency Management 908-654-988 Environmental Consultant 908-497-896 Procedur 1 Immediately notify the Facility Owner of any suspectand observations of product within the piping sumps. 2 Conduct a visual inspection of all readily accessible pleakage or discharge.	Christopher Meehan, Motor Vehicles Les Jones, Health Official Crompco, LLC Christopher Scaturo, OEM Birdsall Services Group res ted release including all monitoring system alarms							
Fire Department: 911 908-659-747 908-400-540 County Health Department: 908-654-988 Corrective Action/Repair Contractor: 610-278-720 Local Emergency Management 908-654-988 Environmental Consultant 908-497-890 Procedur 1 Immediately notify the Facility Owner of any suspect and observations of product within the piping sumps. 2 Conduct a visual inspection of all readily accessible procedures.	Christopher Meehan, Motor Vehicles Christopher Meehan, Motor Vehicles Crompco, Health Official Crompco, LLC Christopher Scaturo, OEM Birdsall Services Group Tes ted release including all monitoring system alarms							
Facility Owner / Operator: 908-659-747 908-400-540 County Health Department: 908-654-988 Corrective Action/Repair Contractor: 610-278-720 Local Emergency Management 908-654-988 Environmental Consultant 908-497-890 Procedur 1 Immediately notify the Facility Owner of any suspect and observations of product within the piping sumps. 2 Conduct a visual inspection of all readily accessible procedures.	Christopher Meehan, Motor Vehicles Les Jones, Health Official Crompco, LLC Christopher Scaturo, OEM Birdsall Services Group res ted release including all monitoring system alarms							
Facility Owner / Operator: 908-400-540 County Health Department: 908-654-988 Corrective Action/Repair Contractor: 610-278-720 Local Emergency Management 908-654-988 Environmental Consultant 908-497-890 Procedur Immediately notify the Facility Owner of any suspect and observations of product within the piping sumps. Conduct a visual inspection of all readily accessible processible	Christopher Meehan, Motor Vehicles Les Jones, Health Official Crompco, LLC Christopher Scaturo, OEM Birdsall Services Group res ted release including all monitoring system alarms							
Corrective Action/Repair Contractor: 610-278-720 Local Emergency Management 908-654-988 Environmental Consultant 908-497-890 Procedur Immediately notify the Facility Owner of any suspect and observations of product within the piping sumps. Conduct a visual inspection of all readily accessible processible process	Crompco, LLC Christopher Scaturo, OEM Birdsall Services Group res ted release including all monitoring system alarms							
Local Emergency Management 908-654-988 Environmental Consultant 908-497-890 Procedur Immediately notify the Facility Owner of any suspect and observations of product within the piping sumps. Conduct a visual inspection of all readily accessible procedures.	Christopher Scaturo, OEM Birdsall Services Group res ted release including all monitoring system alarms							
Environmental Consultant 908-497-890 Procedur Immediately notify the Facility Owner of any suspectand observations of product within the piping sumps. Conduct a visual inspection of all readily accessible processible p	Christopher Scaturo, OEM Birdsall Services Group nes ted release including all monitoring system alarms							
Immediately notify the Facility Owner of any suspectand observations of product within the piping sumps. Conduct a visual inspection of all readily accessible products.	res ted release including all monitoring system alarms							
Immediately notify the Facility Owner of any suspectand observations of product within the piping sumps. Conduct a visual inspection of all readily accessible products.	ted release including all monitoring system alarms							
3 alarm condition confirmed, take tank system out of se	Conduct a visual inspection of all readily accessible physical facilities (e.g. piping sumps) for evidence of leakage or discharge. Run diagnostic check on all monitoring systems; Check for a malfunction of the monitoring system. If alarm condition confirmed, take tank system out of service until repair contractor can evaluate cause of							
	alarm. Contact tank system repair contractor, Crompco, LLC, to visit site and investigate suspected release.							
Facility Owner or designee must complete the investigation of a suspected release within 7 days of initial discovery. N.J.A.C 7:14B-7.1 Suspected releases								
Facility Owner or designee shall immediately contact the New Jersey Department of Environmental Protection (1-877-927-6337) within 15 minutes of confirmation of the release.								
Refer to N.J.A.C. 7:14B-8 Remediation Activities or N.J.A.C. 7:14B-9 Closure Requirements for additional guidance following confirmation of a release.								
Facility Owner makes determination on what remediation activities are needed, consider contacting environmental consultant for additional guidance.								
UST Size and Contents Tank ID #								
1,000 Gallon Gasoline	Galloping Hills Golf Course							

What do I need to do?

- Monthly
 - Sump, fill port, and dispenser inspection logs
 - Keep evidence of leak detection tests (Veeder-Root Print outs)
- Pre-Delivery
 - Spill bucket inspection log
- Release Response Plan Posted
- Current UST Registration Posted
- If Needed:
 - Cathodic protection records
 - Stage II vapor recovery testing records
 - Daily Inspections of Vapor Recovery Equipment



Cathodic Protection Systems

❖ Facility must keep evidence onsite that all registered USTs and piping are sufficiently protected against corrosion.

❖ ACT-100 USTs

 Fiberglass coated steel tanks may not meet minimum corrosion protection standard.

❖ Stip-3 USTs

- USTs with three layers of protection
 - Isolated bushings, fiberglass coating & sacrificial anodes
 - Must maintain CP system test anodes every 3 years!





Vapor Recovery Systems





Vapor Balance System Stage II Vapor Recovery

Vacuum-Assist System Stage II Vapor Recovery



Stage II Vapor Recovery Testing

❖ Test Annually:

- Pressure Vacuum Valve Test (CARB TP-201.1E)
- Air to liquid Volume Ratio Test (CARB TP-201.5)

***** Every 3 Years:

 Dynamic Backpressure Performance Test (CARB) TP-201.4

Daily

• Inspect vapor recovery system boots, hoses, joints & connections. Keep daily log.



Balance Violations





Amazingly, this equipment is not functioning, so our trusty "red-tag" has been used. GDFs with General Permits are required to visually inspect their equipment and keep a log <u>DAILY!</u> Accept no excuses.

NJDEP Air Permits

- Calculating Gross Heat Input
 - Measured in BTU/hr
 - British Thermal Units per hour
 - Also expressed as: 3.0 MMBtu/hr
 - 3.0 Million Btu/hr
 - NJDEP Standard energy values:
 - Diesel Fuel 142,000 Btu per gallon
 - Natural Gas 1,050 Btu per cubic foot
- Take max fuel consumption x energy value
 - 14.2 gallons per hour x 142,00 Btu/gal = 2.02 MMBtu/hr



STANDBY 175 kW PRIME 157.5 kW 60 Hz

CATERPILLAR®

D_1	75-2	(3-I	Pha	ase)
	I / J-Z	13-1		3367

Materials and	l specifications	are subject to	change w	/ithout notice.
---------------	------------------	----------------	----------	-----------------

Generator Set Technical Data — 1800 rpm/60 Hz			Standby		Prime	
Power Rating*	kW	kVA	175	218.8	157.5	196.9
Lubricating System Type: Full Pressure Oil Filter: Spin-On, Full Flow Oil Cooler: Watercooled Oil Type Required: API CH-14; API-C15 Total Oil Capacity Oil Pan	L L	U.S. gal U.S. gal	16.5 15.5	4.4 4.1	16.5 15.5	4.4 4.1
Fuel System Generator Set Fuel Consumption 100% Load 75% Load 50% Load	L/hr L/hr L/hr	G/hr G/hr G/hr	53.8 43.7 34.7	14.2 11.5	50.2 41.2 33.3	13.3 10.9 8.8
Engine Electrical System Voltage/Ground: 12V/Ground Battery Charging Generator Ampere Rating	Δ	ımps	10	00	1	01
Cooling System Water Pump Type: Centrifugal Radiator System Capacity Incl. Engine Maximum Coolant Static Head Coolant Flow Rate Minimum Temperature to Engine Temperature Rise Across Engine Heat Rejected to Coolant at Rated Power Total Heat Radiated to Room at Rated Power Radiator Fan Load	L m H ₂ O L/hr °C °C kW kW	U.S. gal ft H₂O U.S. gal/hr °F Btu/min Btu/min hp	21.0 8.0 12 960 85 9 93.5 16.2 8.0	5.5 26.0 3,424 185 14.2 5,322 922 10.7	21.0 8.0 12 960 85 9 86.8 14.9 8.0	5.5 26.0 3,424 185 14.2 4,941 848 10.7
Air Requirements Combustion Air Flow Maximum Air Cleaner Restriction Radiator Cooling Air (zero restriction) Generator Cooling Air Allowable Air Flow Restriction (after radiator) Cooling Airflow (@ rated speed) Rate with restriction	m³/min kPa m³/min m³/min kPa m³/min	ofm in H ₂ O ofm ofm in H ₂ O	12.6 8 455 30.6 0.12 415	445 32 16,082 1,081 0.5	12.3 8 455 30.6 0.12	434.4 32 16,082 1,081 0.5
Exhaust System Maximum Allowable Backpressure Exhaust Flow at Rated kW Exhaust Temperature at Rated kW — Dry Exhaust	kPa m³/min °C	in Hg cfm °F	12.2 29.7 677	91.5 1,049 1251	12,2 28.6 666	91.5 1,010 1231
Generator Set Noise Rating** (Without Attenuation) at 1 m (3 ft)		IB(A)	10	0.6	10	0.6

Emergency Generators

- Emergency Generators
 - 37 kW and greater must comply with record keeping requirements
 - 1 MMBTU Gross Heat Input requires permit
 - Prior to testing emergency generators 37 KW and greater, must
 - Check the Air Quality Forecast

http://www.state.nj.us/dep/aqpp/AQForecast for Emergency Gen.


New EG General Permit GP-005



Air Quality Forecasts

- Emergency Generator Operation
 - Include AQ Forecast check in log book
 - http://www.airnow.gov/index.cfm?action = airnow.fcsummary&stateid=35
 - "Good" & "Moderate" ok to run generators
 - "Unhealthy for Sensitive Groups" or worse – reschedule generator maintenance.







New Jersey Air Quality Forecasts and Current Conditions Summary

Data courtesy of: New Jersey Department of Environmental Protection

Click on the city name for more detailed	FOREC	CURRENT		
information.	Mon Sep 20	Tue Sep 21	AQI	
Brigantine	45 Good	40 Good	32 Good	
Camden	45 Good	55 Mod	36 Good	
Chester	45 Good	40 Good	25 Good	
Clarksboro	45 Good	45 Good	31 Good	
Flemington	45 Good	45 Good	26 Good	
Fort Lee	45 Good	45 Good	24 Good	
Millville	45 Good	45 Good	31 Good	
Monmouth	45 Good	45 Good	29 Good	
New Brunswick	45 Good	45 Good	25 Good	
New Jersey Highlands	45 Good	45 Good	26 Good	
Newark	45 Good	55 Mod	25 Good	
Ocean County/Colliers Mills	45 Good	45 Good	29 Good	
Ramapo	45 Good	40 Good	25 Good	
Rider University	45 Good	45 Good	25 Good	

EMERGENCY GENERATOR TESTING/MAINTENANCE RECORDS

FACILITY NAME:	LOCATION:	EG ID #	YEAR:

.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	I WANE			LOCATION					TEA	
SAMPLE EMERGENCY GENERATOR LOG SHEET										
	D #	Dete	Reason for Operation	Run START	Time STOP	Air Overlifest	Meter F START	Reading STOP	Total Run Time	Operator Initials
	Run#	Date	Operation	SIAKI	3101	Air Quality*	SIARI	3105	Kun Time	initials
January	1									
	2									
	3									
	4									
February	1									
•	2									
	3									
	4									
March	1									
	2									
	3									
	4									
April	1									
	2									
	3									
	4									
	\perp									
May	1									
	2									
	3									
	4									

Air Permits

- Boiler General Air Permits
 - GP-017 Boiler(s) each less than 5 MMBtu/hr
 - This permit covers one or more boilers between 1.0 MMBtu/hr up to 5.0 MMBTU/hr
 - GP-018 Boiler(s) each less than 10 MMBtu/hr
 - This permit covers one or more boilers between 5.0 MMBtu/hr and 10.0 MMBTU/hr.
 - An annual combustion adjustment is required including NOx,
 CO and O2 sampling before and after tune-up.
 - Starting in 2012 results of testing must be submitted electronically to DEP.



Boiler Combustion Adjustments

- **❖** All Boilers 5.0 MMBtu/hr and greater
 - Annual combustion adjustment required starting 2010.
 - Required measurements: NOx, CO, O2
- ❖ Boilers 5.0 MMBtu/hr to 20.0 MMBtu/hr
 - Submit results online starting in 2010.
- Combustion Adjustments
 - http://www.nj.gov/dep/aqpp/adjustment.htm
 - http://www.nj.gov/dep/aqpp/Annual%20Adjustment%20 Rules.html



Spill Prevention Control and Countermeasures

If your facility meets these 3 conditions:

- Applies to owners or operators of facilities that drill, produce, gather, store, use, process, refine, transfer, distribute, or consume oil and oil products;
- Regulates the aboveground storage of oils in excess of 1,320 gallons stored in containers 55 gallons and greater;
- Must have route to <u>navigable waters</u> or ability to migrate off-site.

You are applicable to the SPCC Rule and should prepare a SPCC Plan.



SPCC

What types of containers are regulated?*

- Aboveground Storage Tanks
- Mobile fueling tanks on vehicles
- Wet transformers
- Drums
- Generator sub-base tanks
- Waste Cooking Oil
- Stationary Equipment with Oil Reservoirs (i.e. hydraulic fluid)





*Remember: only containers 55 gallons and greater are regulated.
























SPCC

- ❖ Remember Recordkeeping!
 - Annual Employee Training Logs
 - Monthly Tank inspections
 - Periodic Tank Testing Records
 - Spill Incident Records
 - Updated SPCC Plan







NJDEP's Online Database

OPRA

- Open Public Records Act
- DEP Data Miner
 - Free, searchable online database of current regulatory permits, inspections & reports
 - How do I find my facility?
 - Search by location, facility name, keyword or program interest number
 - http://datamine2.state.nj.us/dep/DEP_OPRA/ (search page)
 - http://www.nj.gov/dep/opra/
 - (main page)



NJDEP Data Miner

- I have found my facility, now what?
 - Choose "List PIs" (first column) to display all of the different Regulatory Programs your facility is under
 - · OR
 - Choose to run a search for DEP Enforcement Actions, Inspections or Violations by site.
- Example Regulatory Programs:
 - Air permitting, hazardous waste, lab certification, DPCC, solid waste, site remediation, water quality, water supply
- PVSC Program Search Results



NJDEP Data Miner

- Air Permit SI (Subject Item Inventory)
 - List of all expired and current air permits at the selected facility
 - Activity Class
 - BOP Batch Operating Permit
 - PCP Preconstruction Permit
 - GEN General Permit
 - Other fields Activity Status, Type, Facility Designation, Facility Description
- PVSC Title V Permit Page



NJDEP Data Miner

- Enforcement Actions by Site
 - List of all enforcement actions by the NJDEP searchable by date and Site ID.
 - Report will provide:
 - Program Description: Air, DPCC, USTs, etc.
 - Activity Number, Document Type, Penalty Assessment amount and details of the Violation
- PVSC Recent Enforcement Actions



NJDEP Online

- You can complete permits, submit registrations, pay renewal fees and view existing permit details using the NJDEP Online services.
 - These are accessed through the MyNewJersey Portal:
 - http://www.nj.gov/dep/online/
 - Be sure to follow "New Users Request Access to NJDEP Online" button!
- NJDEP Online "My Workspace"



NJDEP Online

- How to complete a general air permit online:
 - From the "My Workspace" page under Air Program select the "General Permits" link
 - You will need to:
 - Add any existing facility ID's you have for your facilities.
 - If you need a facility ID Use the AIMS-099 Part A form & fax to NJDEP
 - http://www.nj.gov/dep/aqpp/applying.html



NJDEP Online

- Model Permit Emergency Generator
 - Facility Profile
 - Facility Contacts
 - Reason for Applying
 - Equipment Inventory
 - Permitting Options
 - Certification
 - Payment
 - Permit Summary Page





NJDEP OPRA

X Search
Advanced search

Instant is on ▼

Marything

Images

■ Videos

✓ More

Show search tools

About 5,360 results (0.41 seconds)

NJDEP Record Access Program (OPRA) Main Page 🕸

Apr 13, 2010 ... New Jersey Department of Environmental Protection - Open Public Records Act - Record Access Program.

www.nj.gov/dep/opra/ - Cached - Similar

NJDEP SRP - OCR: Information for the Homeowner or Buyer \$\pi\$

Mar 5, 2007 ... OPRA may be able to help you! The Open Public Records Act (OPRA) simplifies the process of accessing NJDEP site files. To view and/or copy ... www.nj.gov/dep/srp/community/homeowner.htm - Cached

★ Show more results from www.nj.gov

NJDEP Record Access Program (OPRA): Online Access / Data Miner

Sep 9, 2008 ... Record Access Program | OPRA. local navigation bar ... The information provided within NJDEP Data Miner and the viewing experience will ... www.state.nj.us/dep//opra/online.html - Cached - Similar

NJDEP-Open Public Records Request (OPRA)-NJDEP OPRA Implementation ... :

Oct 17, 2007 ... New Jersey Department of Environmental Protection - Open Public Records Act.

www.state.nj.us/dep/opra/oprainfo.html - Cached - Similar

■ Show more results from www.state.nj.us

NJDEP-OPRA category base :

Only those UST systems that have been registered with the NJDEP and identified in this report are considered in compliance. The report enables the requestor ... datamine2.state.ni.us/DEP_OPRA/OpraMain/categories?... - Cached - Similar

NJDEP-OPRA category base \$\frac{1}{2}\$

Aug 28, 2003 ... By selecting a timeframe, the report will only retrieve those Applications/ Registrations and Permits that were received by NJDEP in that ... datamine2.state.nj.us/DEP_OPRA/OpraMain/categories?... - Cached - Similar

♣ Show more results from datamine2.state.nj.us

Nidep opra - Search Results \$

NJDEP Mapping Contest OPRA Task Force Releases Final Report March 2010 NJ Geospatial Forum Meeting State term contract for GIS Services extended to ... fairtrade-advocacy.org/manager/cat.php?q=njdep-opra - Belgium - Cached

NJDEP OPRA .pdf - Download \$

NJDEP OPRA Ebooks Download New Jersey Department Environmental Protection. www.epdfsearch.com/en/pdf/NJDEP+OPRA-.html - Cached

[РОГ] NJDEP's i-MapNJ GeoSpatial Data Miner: Serving Customized Profiles ... 🕏

File Format: PDF/Adobe Acrobat

NJDEP released DEP Data Miner. (www.nj.gov/dep/opra/online.html) in 2004 in response to the state Open Public Records Act (OPRA) ... gis.esri.com/library/userconf/proc05/papers/pap1277.pdf



NJDEP Record Access Program

Open Public Records Act (OPRA) Record Requests	Data Miner Applications (online DEP information)
Direct access to DEP public records through File Reviews, Copies and Faxes. • Submit an Online OPRA Records Request • DEP & OPRA (Request Procedures, Rules and Fees) • For agencies 'in but not of' NJDEP • Hardcopy of DEP OPRA Record Request Form [pdf]	Search a comprehensive listing of dynamic, up-to-date environmental data. DEP Data Miner DEP Report Finder Geographic Information Systems (GIS) Data
Other Record Request Processes	Electronic Download Data
Due to the nature of these records and the research involved in locating record interests, the following records should be accessed through the below means: • Hazardous Waste Manifest Searches • Radius Searches (What's surrounding a property) • Well Searches (Note: If you have a Well Permit #, then use OPRA)	Hazardous Waste Manifest Data (By Year)
DEP Reference Resources	Other Information
DEP's Most Requested Info DEP Regulations NJ Environmental Digital Library	Directions to DEP Offices Help for viewing PDF documents Federal Government Datasets (Data.gov)

contact dep | privacy notice | legal statement | accessibility statement





opra/rap home | njdep hon



Within DEP Data Miner, you will find a variety of reports that will provide you with up to the minute results. In order to provide flexibility, many of these reports require the user to enter some criteria, which will result in a customized document.

The DEP is dedicated to making environmental information readily available to our constituents while maintaining user confidence in the data. The information provided within NJDEP Data Miner and the viewing experience will continue to expand and improve as we work towards providing our constituents with an informative and easy-to-use environment.

The information contained in this site is the best available according to the procedures and standards of each of the contributing programs. The Department's programs are regularly maintaining the information in their databases, in order to maintain the quality and timeliness of the data. However, unintentional inaccuracies may occur. The Department has made every effort to present the information in a clear and understandable way for a variety of users. However, we cannot be responsible for the misuse or misinterpretation of the information presented by this system. Therefore, under no circumstances shall the State of New Jersey be liable for any actions taken or omissions made from reliance on any information contained herein from whatever source nor shall the State be liable for any other consequences from any such reliance.

INSTRUCTIONS



Click the above button to start mining.

contact dep | privacy notice | legal statement | accessibility statement |

opra: opra home | most requested info | dep online reports | about opra | exceptions | opra form department: nidep home | about dep | index by topic | programs/units | dep online statewide: njhome | njgreen | business | government | services A to Z | departments | search


Copyright © State of New Jersey, 1996-2010 Department of Environmental Protection P. O. Box 402 Trenton, NJ 08625-0402

Last Updated: September 9, 2008



Below are a series of Searches which allow you to find one or more Sites or Individuals that are currently regulated by NJDEP. Once you have found your particular Site(s) or Individual(s), you can then find additional environmental information.

If you want to search for information by program or category, please click on the reports by category button above.



Where can I find it?

- http://www.njejif.org/
 - Go to Environmental Information
 - Go to Seminar Presentations



Questions?

Birdsall Services Group

800-879-6681

Chris Gulics

cgulics@birdsall.com

Matt Mee

mmee@birdsall.com

